

Package: geographr (via r-universe)

August 5, 2026

Title R package for mapping UK geographies

Version 1.0.1

Description A package to distribute and compute on UK geographical data.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.1

Depends R (>= 4.1.0)

Imports dplyr, janitor, rlang, sf, tibble

Suggests testthat (>= 3.0.0)

Config/testthat/edition 3

URL <https://humaniverse.github.io/geographr/>

Config/pak/sysreqs libabsl-dev cmake libgdal-dev gdal-bin libgeos-dev libicu-dev libssl-dev libproj-dev libsqlite3-dev libudunits2-dev

Repository <https://r-multiverse.r-universe.dev>

Date/Publication 2024-08-07 13:35:33 UTC

RemoteUrl <https://github.com/humaniverse/geographr>

RemoteRef 1.0.1

RemoteSha ed416a6735f7c4d8da0b866260369e84c27319a2

Contents

aggregate_lba_isoas	3
boundaries_ccg21	4
boundaries_countries20	5
boundaries_dz11	6
boundaries_hb19	6

boundaries_icb22	7
boundaries_iz11	7
boundaries_lhb20	8
boundaries_lhb22	8
boundaries_lsoa11	9
boundaries_ltla19	9
boundaries_ltla20	10
boundaries_ltla21	10
boundaries_msoa11	11
boundaries_msoa21	12
boundaries_msoa21_iz11_sdz21	12
boundaries_pfa20	13
boundaries_region21	13
boundaries_sdz21	14
boundaries_soa11	14
boundaries_stp21	15
boundaries_trusts_ni18	15
boundaries_utla19	16
boundaries_utla20	16
boundaries_utla21	17
boundaries_vcsep22	18
boundaries_wards21	18
boundaries_wards22	19
calculate_extent	19
calculate_proportion	20
lookup_dz01_dz11	21
lookup_dz11_iz11_ltla20	22
lookup_dz11_ltla19_hb19	22
lookup_dz21_sdz21_dea14_lgd14	23
lookup_lsoa11_ccg21_stp21_ltla21	24
lookup_lsoa11_lsoa21_ltla22	24
lookup_lsoa11_ltla18	25
lookup_lsoa11_ltla19	26
lookup_lsoa11_ltla20	26
lookup_lsoa11_ltla21	27
lookup_lsoa11_msoa11	27
lookup_lsoa11_sicbl22_icb22_ltla22	28
lookup_lsoa11_ward17	29
lookup_ltla_ltla	29
lookup_ltla19_brc	30
lookup_ltla19_cauth19	30
lookup_ltla19_region19	31
lookup_ltla19_utla19	31
lookup_ltla20_cauth20	32
lookup_ltla20_region20	33
lookup_ltla20_utla20	33
lookup_ltla21_brc	34
lookup_ltla21_cauth21	34

lookup_ltla21_fra21	35
lookup_ltla21_hsct18	35
lookup_ltla21_lhb22	36
lookup_ltla21_region21	37
lookup_ltla21_utla21	37
lookup_ltla21_vcsep22	38
lookup_ltla22_ltla23	38
lookup_ltla23_cauth23	39
lookup_ltla23_region23	40
lookup_ltla23_utla23	40
lookup_msoa11_ltla19	41
lookup_msoa11_ltla20	41
lookup_msoa11_ltla21	42
lookup_msoa11_msoa21_ltla22	43
lookup_msoa11_ward17	43
lookup_msoa21_ward17	44
lookup_nhs_trusts22_icb22	44
lookup_nhs_trusts22_ltla21	45
lookup_nhs_trusts22_msoa11	46
lookup_nhs_trusts22_nhs_region21	47
lookup_nhs_trusts22_stp21	47
lookup_postcode_dz21_sdz21_dea14_lgd14	48
lookup_postcode_oa11_lsoa11_msoa11_ltla20	49
lookup_postcode_oa21_lsoa21_msoa21_ltla22	49
lookup_sa11_soal1_lgd18	50
lookup_soa01_lgd14	51
lookup_trust_trust	51
lookup_ward21_ltla21	52
names_codes_hb19	52
points_hospitals22	53
points_nhs_trusts22	53
ruc11_lsoa11	54
ruc11_msoa11	54
ruc11_wards11	55
ruc16_dz11	55

Index**57**

Description

Changes were made in England and Wales to 2011 LSOA codes in 2021 to reflect population and household changes. Change codes:

- U = Unchanged - 31,810 LSOAs remained unchanged from 2011 to 2021
- S = Split - 834 LSOAs were split from 2011 to 2021 into two or more
- M = Merged - 194 LSOAs were merged from 2011 to 2021 with one or more
- X = Fragmented - 6 LSOAs were fragmented/redesigned from 2011 to 2021

Usage

```
aggregate_lba_lsoas(data)
```

Arguments

data Dataframe containing 2021 LSOA codes with boolean LBA data

Details

Aggregation strategy going from 2021 codes to 2011 codes:

- change_code == "U": no action required
- change_code == "S": if ANY of the 2021 LSOAs resulting from the split is left behind, 2011 LSOA is considered left-behind
- change_code == "M": 2011 LSOA's inherit the left-behind characteristics of the 2021 LSOA that resulted from the merge: if the 2021 LSOA is left behind, all corresponding 2011 LSOA's are considered left-behind, and vice versa
- change_code == "X": 2011 LSOA's inherit the left behind characteristics of their corresponding 2021 LSOA. Then group by 2011 LSOA, if any is left-behind, consider the LSOA left-behind

Value

Dataframe containing the aggregated 2011 LSOA codes

boundaries_ccg21	<i>Clinical Commissioning Groups (April 2021)</i>
------------------	---

Description

A data set containing 2021 Clinical Commissioning Group (CCG) geometries and their associated names and codes. Boundaries are ultra generalised (500m).

Usage

```
boundaries_ccg21
```

Format

A data frame of class "sf" with 106 rows and 3 variables:

ccg21_name CCG name

ccg21_code CCG code

geometry multipolygon coordinates ...

Source

<https://geoportal.statistics.gov.uk/>

boundaries_countries20

Countries (December 2020)

Description

A data set containing 2020 Country geometries and their associated names and codes. Boundaries are Ultra Generalised (500m) - clipped to the coastline (Mean High Water mark).

Usage

boundaries_countries20

Format

A data frame of class "sf" with 4 rows and 3 variables:

country20_name country name

country20_code Country code

geometry multipolygon coordinates ...

Source

<https://geoportal.statistics.gov.uk/>

boundaries_dz11	<i>Data Zones (2011)</i>
-----------------	--------------------------

Description

A data set containing 2011 Scottish Data Zone geometries and their associated names and codes.

Usage

boundaries_dz11

Format

A data frame of class "sf" with 6,976 rows and 3 variables:

dz11_name Data Zone name

dz11_code Data Zone code

geometry multipolygon coordinates ...

Source

<https://spatialdata.gov.scot/>

boundaries_hb19	<i>Health Boards (2019)</i>
-----------------	-----------------------------

Description

A data set containing 2019 NHS Health Board geometries and their associated names and codes.

Usage

boundaries_hb19

Format

A data frame of class "sf" with 14 rows and 3 variables:

hb19_name Health Board name

hb19_code Health Board code

geometry multipolygon coordinates ...

Source

<https://spatialdata.gov.scot/>

boundaries_icb22	<i>Integrated Care Boards (2022)</i>
------------------	--------------------------------------

Description

A data set containing July 2022 NHS Integrated Care Board geometries and their associated names and codes.

Usage

boundaries_icb22

Format

A data frame of class "sf" with 42 rows and 3 variables:

icb22_name Integrated Care Board name

icb22_code Integrated Care Board code

geometry multipolygon coordinates ...

Source

<https://geoportal.statistics.gov.uk/>

boundaries_iz11	<i>Intermediate Zones (2011)</i>
-----------------	----------------------------------

Description

A data set containing 2011 Scottish Intermediate Zone geometries and their associated names and codes.

Usage

boundaries_iz11

Format

A data frame of class "sf" with 1,279 rows and 3 variables:

iz11_name Intermediate Zone name

iz11_code Intermediate Zone code

geometry multipolygon coordinates ...

Source

<https://spatialdata.gov.scot/>

boundaries_lhb20	<i>Wales Local Health Boards (2020)</i>
------------------	---

Description

A data set containing 2020 Local Health Board geometries for Wales and their associated names and codes.

Usage

boundaries_lhb20

Format

A data frame of class "sf" with 7 rows and 3 variables:

lhb20_name Local Health Board name

lhb20_code Local Health Board code

geometry multipolygon coordinates ...

Source

<https://geoportal.statistics.gov.uk/>

boundaries_lhb22	<i>Wales Local Health Boards (2022)</i>
------------------	---

Description

A data set containing 2022 Local Health Board geometries for Wales and their associated names and codes.

Usage

boundaries_lhb22

Format

A data frame of class "sf" with 7 rows and 3 variables:

lhb22_name Local Health Board name

lhb22_code Local Health Board code

geometry multipolygon coordinates ...

Source

<https://geoportal.statistics.gov.uk/>

boundaries_lsoa11	<i>Lower Layer Super Output Areas (2011)</i>
-------------------	--

Description

A data set containing 2011 Lower Super Output Area (LSOA) geometries and their associated names and codes. Full clipped boundaries were simplified using the Visvalingam algorithm set to a weighting of 0.7 with a retaining proportion of 0.895 points.

Usage

```
boundaries_lsoa11
```

Format

A data frame of class "sf" with 34,753 rows and 3 variables:

lsoa11_name LSOA name

lsoa11_code LSOA code

geometry multipolygon coordinates ...

Source

<https://geoportal.statistics.gov.uk/>

boundaries_ltle19	<i>Local Authority Districts (December 2019)</i>
-------------------	--

Description

A data set containing 2019 Local Authority Districts (LAD) geometries and their associated names and codes. Boundaries are Ultra Generalised (500m) - clipped to the coastline (Mean High Water mark).

Usage

```
boundaries_ltle19
```

Format

A data frame of class "sf" with 382 rows and 3 variables:

ltle19_name LAD name

ltle19_code LAD code

geometry multipolygon coordinates ...

Source

<https://geoportal.statistics.gov.uk/>

boundaries_lta20	<i>Local Authority Districts (December 2020)</i>
------------------	--

Description

A data set containing 2020 Local Authority Districts (LAD) geometries and their associated names and codes. Boundaries are Ultra Generalised (500m) - clipped to the coastline (Mean High Water mark).

Usage

boundaries_lta20

Format

A data frame of class "sf" with 379 rows and 3 variables:

lta20_name LAD name

lta20_code LAD code

geometry multipolygon coordinates ...

Source

<https://geoportal.statistics.gov.uk/>

boundaries_lta21	<i>Local Authority Districts (December 2021)</i>
------------------	--

Description

A data set containing 2021 Local Authority Districts (LAD) geometries and their associated names and codes. Boundaries are Ultra Generalised (500m) - clipped to the coastline (Mean High Water mark).

Usage

boundaries_lta21

Format

A data frame of class "sf" with 374 rows and 3 variables:

ltla21_name LAD name

ltla21_code LAD code

geometry multipolygon coordinates ...

Source

<https://geoportal.statistics.gov.uk/>

boundaries_msoa11	<i>Middle Layer Super Output Areas (2011)</i>
-------------------	---

Description

A data set containing 2011 Middle Super Output Area (MSOA) geometries and their associated names and codes. Super generalised (200m) boundaries were simplified using the Visvalingam algorithm set to a weighting of 0.7 with a retaining proportion of 0.05 points.

Usage

boundaries_msoa11

Format

A data frame of class "sf" with 7,201 rows and 3 variables:

msoa11_name MSOA name

msoa11_code MSOA code

geometry multipolygon coordinates ...

Source

<https://geoportal.statistics.gov.uk/>

boundaries_msoa21	<i>Middle Layer Super Output Areas (2021)</i>
-------------------	---

Description

A data set containing 2021 Middle Super Output Area (MSOA) geometries and their associated names and codes. Super generalised (200m) boundaries were simplified using the Visvalingam algorithm set to a weighting of 0.7 with a retaining proportion of 0.05 points.

Usage

```
boundaries_msoa21
```

Format

A data frame of class "sf" with 7,264 rows and 3 variables:

msoa21_name MSOA name

msoa21_code MSOA code

geometry multipolygon coordinates ...

Source

<https://geoportal.statistics.gov.uk/>

boundaries_msoa21_iz11_sdz21	<i>Middle Layer Super Output Areas equivalents for the UK</i>
------------------------------	---

Description

A data set containing Middle Super Output Area (MSOA) equivalent geometries and their associated names and codes for the UK. Super generalised (200m) boundaries were simplified using the Visvalingam algorithm set to a weighting of 0.7 with a retaining proportion of 0.05 points.

Usage

```
boundaries_msoa21_iz11_sdz21
```

Format

A data frame of class "sf" with 9,393 rows and 3 variables:

msoa21_name MSOA name

msoa21_code MSOA code

geometry multipolygon coordinates ...

Source

<https://geoportal.statistics.gov.uk/>

boundaries_pfa20	<i>Police Force Areas (2020)</i>
------------------	----------------------------------

Description

A data set containing 2020 Police Force Area geometries for England and Wales and their associated names and codes.

Usage

boundaries_pfa20

Format

A data frame of class "sf" with 43 rows and 3 variables:

pfa20_name Police Force Area name

pfa20_code Police Force Area code

geometry multipolygon coordinates ...

Source

<https://geoportal.statistics.gov.uk/>

boundaries_region21	<i>Regions (December 2021)</i>
---------------------	--------------------------------

Description

A data set containing December 2021 England Region geometries and their associated names and codes.

Usage

boundaries_region21

Format

A data frame of class "sf" with 890 rows and 3 variables:

region21_name Region name

region21_code Region code

geometry multipolygon coordinates ...

Source

<https://geoportal.statistics.gov.uk/>

boundaries_sdz21	<i>Super Data Zones (2021)</i>
------------------	--------------------------------

Description

A data set containing 2021 Northern Ireland Super Data Zones geometries and their associated names and codes as used following the 2021 Census results.

Usage

boundaries_sdz21

Format

A data frame of class "sf" with 850 rows and 3 variables:

sdz21_name Super Data Zone name
sdz21_code Super Data Zone code
geometry multipolygon coordinates ...

Source

<https://www.nisra.gov.uk/>

boundaries_soa11	<i>Super Output Areas (2011)</i>
------------------	----------------------------------

Description

A data set containing 2011 Northern Ireland Super Output Area geometries and their associated names and codes as used following the 2011 Census results.

Usage

boundaries_soa11

Format

A data frame of class "sf" with 890 rows and 3 variables:

soa11_name Super Output Area name
soa11_code Super Output Area code
geometry multipolygon coordinates ...

Source

<https://www.nisra.gov.uk/>

boundaries_stp21	<i>Sustainability and Transformation Partnerships (April 2021)</i>
------------------	--

Description

A data set containing 2021 Sustainability and Transformation Partnerships (STP) geometries and their associated names and codes. Boundaries are ultra generalised (500m).

Usage

boundaries_stp21

Format

A data frame of class "sf" with 42 rows and 3 variables:

stp21_name STP name

stp21_code STP code

geometry multipolygon coordinates ...

Source

<https://geoportal.statistics.gov.uk/>

boundaries_trusts_ni18	<i>Northern Ireland Health and Social Care Trusts (2017)</i>
------------------------	--

Description

A data set containing 2017 Health and Social Care Trust geometries for Northern Ireland and their associated names and codes.

Usage

boundaries_trusts_ni18

Format

A data frame of class "sf" with 5 rows and 3 variables:

trust18_name Health and Social Care Trust name

trust18_code Health and Social Care Trust code

geometry multipolygon coordinates ...

Source

<https://www.opendatani.gov.uk/>

boundaries_utla19	<i>Counties and Unitary Authorities (December 2019)</i>
-------------------	---

Description

A data set containing 2019 County and Unitary Authority (UA) geometries and their associated names and codes. Boundaries are Ultra Generalised (500m) - clipped to the coastline (Mean High Water mark).

Usage

boundaries_utla19

Format

A data frame of class "sf" with 216 rows and 3 variables:

utla19_name county and UA name

utla19_code county and UA code

geometry multipolygon coordinates ...

Source

<https://geoportal.statistics.gov.uk/>

boundaries_utla20	<i>Counties and Unitary Authorities (December 2020)</i>
-------------------	---

Description

A data set containing 2020 County and Unitary Authority (UA) geometries and their associated names and codes. Boundaries are Ultra Generalised (500m) - clipped to the coastline (Mean High Water mark).

Usage

boundaries_utla20

Format

A data frame of class "sf" with 216 rows and 3 variables:

utla20_name county and UA name

utla20_code county and UA code

geometry multipolygon coordinates ...

Source

<https://geoportal.statistics.gov.uk/>

boundaries_utla21	<i>Counties and Unitary Authorities (May 2021)</i>
-------------------	--

Description

A data set containing 2021 County and Unitary Authority (UA) geometries and their associated names and codes. Boundaries are Ultra Generalised (500m) - clipped to the coastline (Mean High Water mark).

Usage

```
boundaries_utla21
```

Format

A data frame of class "sf" with 217 rows and 3 variables:

utla21_name county and UA name

utla21_code county and UA code

geometry multipolygon coordinates ...

Source

<https://geoportal.statistics.gov.uk/>

boundaries_vcsep22	<i>VCSEP regions (2022).</i>
--------------------	------------------------------

Description

A data set containing geometries for the Voluntary and Community Sector Emergency Partnership regions

Usage

boundaries_vcsep22

Format

A data frame of class "tbl" with 5 rows and 2 variables:

vcsep_region VCSEP region name
geometry multipolygon coordinates ...

Source

https://github.com/VCS-Emergencies-Partnership/ad-hoc-analysis/tree/main/analysis/vcsep_regions_boundaries

boundaries_wards21	<i>Wards / Electoral Divisions (December 2021)</i>
--------------------	--

Description

A data set containing 2021 Ward / Electoral Division geometries and their associated names and codes. Boundaries are Super generalised (200m) - clipped to the coastline (Mean High Water mark).

Usage

boundaries_wards21

Format

A data frame of class "sf" with 8,694 rows and 3 variables:

ward21_name ward name
ward21_code ward code
geometry multipolygon coordinates ...

Source

<https://geoportal.statistics.gov.uk/>

boundaries_wards22	<i>Wards / Electoral Divisions (December 2022)</i>
--------------------	--

Description

A data set containing 2022 Ward / Electoral Division geometries and their associated names and codes. Boundaries are Super generalised (200m) - clipped to the coastline (Mean High Water mark).

Usage

```
boundaries_wards22
```

Format

A data frame of class "sf" with 8,483 rows and 3 variables:

ward22_name ward name

ward22_code ward code

geometry multipolygon coordinates ...

Source

<https://geoportal.statistics.gov.uk/>

calculate_extent	<i>Calculate the 'extent' scores when aggregating up small areas</i>
------------------	--

Description

"Extent" is the proportion of the local population that live in areas classified as among the most deprived in the higher geography. The calculation of extent is taken from the IMD technical report Appendix N:

Usage

```
calculate_extent(
  data,
  var,
  higher_level_geography,
  population,
  weight_high_scores = TRUE
)
```

Arguments

data	Data frame containing a variable to be aggregated, lower level geography population estimates, and a higher level geographical grouping variable
var	Name of the variable in the data frame containing the variable to be aggregated (e.g., score) for the lower level geography
higher_level_geography	Name of the variable in the data frame containing the higher level geography names/codes
population	Name of the variable in the data frame containing the population estimates of the lower level geography
weight_high_scores	If TRUE higher scores are weighted, else lower scores are weighted. For indicators like 'Alcohol Misuse' and 'Ambulance Wait Time' this should be set to TRUE. This is because higher values in these outcomes indicate worse outcomes (higher vulnerability and lower capacity) and this is where the weighting should be focused. For indicators like 'Physical Activity' and 'Bed Availability' it should be set to FALSE. This is because lower values in these outcomes indicate worse outcomes (higher vulnerability and lower capacity) and this is where the weighting should be focused.

Details

"The population living in the most deprived 11 to 30 per cent of Lower-layer Super Output Areas receive a sliding weight, ranging from 0.95 for those in the most deprived eleventh percentile, to 0.05 for those in the most deprived thirtieth percentile. In practice this means that the weight starts from 0.95 in the most deprived eleventh percentile, and then decreases by $(0.95-0.05)/19$ for each of the subsequent nineteen percentiles until it reaches 0.05 for the most deprived thirtieth percentile, and zero for areas outside the most deprived 30 per cent"

The direction of the scale of data inputted by the function always matches that of the data outputted. For example if data is inputted into the function where high scores equals high vulnerability, the outputted data set will hold this relationship true.

calculate_proportion	<i>Calculate proportion of small areas in the higher-level geography that are within the 10% most deprived areas in the nation.</i>
----------------------	---

Description

Calculate proportion of small areas in the higher-level geography that are within the 10% most deprived areas in the nation.

Usage

```
calculate_proportion(data, var, higher_level_geography)
```

Arguments

<code>data</code>	Data frame containing a variable to be aggregated and a higher level geographical grouping variable
<code>var</code>	Name of the variable in the data frame for which you want to calculate proportions. It must have only two possible values
<code>higher_level_geography</code>	Name of the variable in the data frame containing the higher level geography names/codes

Examples

```
## Not run:
  calculate_proportion(IMD::imd_england_lsoa, IMD_decile, msoa_code, n_people)

## End(Not run)
```

lookup_dz01_dz11	<i>Data Zone (2001) to Data Zone (2011) Lookup</i>
------------------	--

Description

A data set containing a lookup between Data Zone 2001 and 2011 codes. This data was constructed from the 2024-1 Scottish Postcode Directory.

Usage

```
lookup_dz01_dz11
```

Format

A data frame of class "tbl" with 10,437 rows and 2 variables:

dz01_code Data Zone code (2001)

dz11_code Data Zone code (2011) ...

Source

<https://www.nrscotland.gov.uk>

lookup_dz11_iz11_ltla20

Data Zone (2011) to Intermediate Zone (2011) to LAD (December 2019) Lookup

Description

A data set containing a lookup between Data Zones, Intermediate Zones and Council Areas in Scotland

Usage

lookup_dz11_iz11_ltla20

Format

A data frame of class "tbl" with 6,976 rows and 6 variables:

dz11_name DZ name

dz11_code DZ code

iz11_name IZ name

iz11_code IZ code

ltla20_name LAD name

ltla20_code LAD code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_dz11_ltla19_hb19

Data Zone (2011) to Local Authority (2019) to Health Board (2019) Lookup

Description

A data set containing a lookup between Data Zones, Local Authorities (also called Council Areas) and Health Boards in Scotland

Usage

lookup_dz11_ltla19_hb19

Format

A data frame of class "tbl" with 6,976 rows and 3 variables:

dz11_code Data zone (2011) code

ltla19_code Local authority (2019) code

hb19_code Health board (2019) code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_dz21_sdz21_dea14_lgd14

Data Zone (2021) to Super Data Zone (2021) to District Electoral Areas (2019) to Local Government Districts (2014) Lookup

Description

A data set containing a lookup between Data Zones (Output Areas), Super Data Zones (LSOA), District Electoral Areas and Local Government Districts (Local Authority) in Northern Ireland

Usage

lookup_dz21_sdz21_dea14_lgd14

Format

A data frame of class "tbl" with 3,780 rows and 8 variables:

dz21_code Data zone (2021) code (comparable to Output Areas)

dz21_name Data zone (2021) name

sdz21_code Super data zone (2021) code (comparable to LSOA / Scottish Data Zone)

sdz21_name Super data zone (2021) name

dea14_code District Electoral Areas (2019) code

dea14_name District Electoral Areas (2019) name

lgd14_code Local Government District (2014) code (comparable to Local Authority)

lgd14_name Local Government District (2014) name ...

Source

<https://nisra.gov.uk/>

lookup_lsoa11_ccg21_stp21_lsla21

Lower Layer Super Output Area (2011) to Clinical Commissioning Group (2021) to Sustainability and Transformation Plan (2021) to Lower Tier Local Authority District (2021) Lookup

Description

A data set containing a lookup between 2011 Lower Layer Super Output Areas to 2021 Clinical Commissioning Group areas to 2021 Sustainability and Transformation Plan areas to 2021 Lower Tier Local Authority Districts.

Usage

lookup_lsoa11_ccg21_stp21_lsla21

Format

A data frame of class "tbl" with 32,844 rows and 8 variables:

lsoa11_name LSOA name

lsoa11_code LSOA code

ccg21_name CCG name

ccg21_code CCG code

stp21_name STP name

stp21_code STP code

lsla21_name LSLA name

lsla21_code LSLA code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_lsoa11_lsoa21_lsla22

Lower Layer Super Output Area (2011) to Lower Layer Super Output Area (2021) to LAD (December 2022) Lookup

Description

A data set containing a lookup between 2011 Lower Super Output Areas (LSOA) and 2021 Lower Super Output Areas (LSOA) and 2022 Local Authority Districts (LAD).

Usage

```
lookup_lsoa11_lsoa21_ltle22
```

Format

A data frame of class "tbl" with 35,795 rows and 8 variables:

lsoa11_name LSOA 11 name

lsoa11_code LSOA 11 code

change_code Change code containing U (unchanged from 2011 to 2021), M (merged), S (split) and X (irregular and fragmented change)

lsoa21_name LSOA 21 name

lsoa21_code LSOA 21 code

ltle22_name LTLA name

ltle22_code LTLA code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_lsoa11_ltle18	<i>Lower Layer Super Output Area (2011) to LAD (December 2018) Lookup</i>
----------------------	---

Description

A data set containing a lookup between 2011 Lower Super Output Areas (LSOA) and 2018 Local Authority Districts (LAD).

Usage

```
lookup_lsoa11_ltle18
```

Format

A data frame of class "tbl" with 32,844 rows and 4 variables:

lsoa11_name LSOA name

lsoa11_code LSOA code

ltle18_name LAD name

ltle18_code LAD code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_lsoa11_lsla19	<i>Lower Layer Super Output Area (2011) to LAD (December 2019) Lookup</i>
----------------------	---

Description

A data set containing a lookup between 2011 Lower Super Output Areas (LSOA) and 2019 Local Authority Districts (LAD).

Usage

```
lookup_lsoa11_lsla19
```

Format

A data frame of class "tbl" with 34,753 rows and 4 variables:

lsoa11_name LSOA name

lsoa11_code LSOA code

lsla19_name LAD name

lsla19_code LAD code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_lsoa11_lsla20	<i>Lower Layer Super Output Area (2011) to LAD (December 2020) Lookup</i>
----------------------	---

Description

A data set containing a lookup between 2011 Lower Super Output Areas (LSOA) and 2020 Local Authority Districts (LAD).

Usage

```
lookup_lsoa11_lsla20
```

Format

A data frame of class "tbl" with 34,753 rows and 4 variables:

lsoa11_name LSOA name

lsoa11_code LSOA code

lsla20_name LAD name

lsla20_code LAD code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_lsoa11_ltle21	<i>Lower Layer Super Output Area (2011) to LAD (December 2021) Lookup</i>
----------------------	---

Description

A data set containing a lookup between 2011 Lower Super Output Areas (LSOA) and 2021 Local Authority Districts (LAD).

Usage

lookup_lsoa11_ltle21

Format

A data frame of class "tbl" with 34,753 rows and 4 variables:

lsoa11_name LSOA name

lsoa11_code LSOA code

ltle21_name LAD name

ltle21_code LAD code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_lsoa11_msoa11	<i>Lower Layer Super Output Area (2011) to Middle Layer Super Output Area (2011) Lookup</i>
----------------------	---

Description

A data set containing a lookup between 2011 Lower (LSOA) and Middle Layer Super Output Areas (MSOA).

Usage

lookup_lsoa11_msoa11

Format

A data frame of class "tbl" with 41,729 rows and 4 variables:

lsoa11_name LSOA name
lsoa11_code LSOA code
msoa11_name MSOA name
msoa11_code MSOA code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_lsoa11_sicbl22_icb22_lsla22

LSOA (2011) to SICBL (2022) to ICB (2022) to LSLA (2022) Lookup

Description

A data set containing a lookup between 2011 LSOAs, 2022 Sub ICB Locations, 2022 ICBs and 2022 LSLAs in England.

Usage

```
lookup_lsoa11_sicbl22_icb22_lsla22
```

Format

A data frame of class "tbl" with 32,844 rows and 10 variables:

lsoa11_name LSOA 2011 name
lsoa11_code LSOA 2011 code
sicbl22_name Sub ICB Location 2022 name
sicbl22_code Sub ICB Location code 2022 (retains former CCG codes)
sicbl22_code_h Sub ICB Location code 'h' 2022 (retains former CCG codes)
icb22_name ICB 2022 name
icb22_code ICB 2022 code (retains former ICS/STP codes)
icb22_code_h ICB 2022 code 'h' (retains former ICS/STP codes)
lsla22_name LSLA 2022 name
lsla22_code LSLA 2022 code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_lsoa11_ward17	<i>LSOA (2011) to Ward (2017) Lookup</i>
----------------------	--

Description

A data set containing a lookup between 2011 LSOAs and 2021 wards in England and Wales.

Usage

```
lookup_lsoa11_ward17
```

Format

A data frame of class "tbl" with 34,753 rows and 2 variables:

lsoa11_code LSOA 2011 code

ward17_code Ward 2017 code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_ltle_ltle	<i>Changes to England Local Authority codes over time (from 2019).</i>
------------------	--

Description

A data set containing a lookup of the England Local Authority changes between 2019, 2020 and 2021.

Usage

```
lookup_ltle_ltle
```

Format

A data frame of class "tbl" with 382 rows and 6 variables:

ltle19_name 2019 LAD name

ltle19_code 2019 LAD code

ltle20_name 2020 LAD name

ltle20_code 2020 LAD code

ltle21_name 2021 LAD name

ltle21_code 2021 LAD code ...

Source

<https://geoportal.statistics.gov.uk/datasets/code-history-database-december-2021-for-the-united-kingdom/about>

lookup_ltla19_brc	<i>Local Authority District (2019) to British Red Cross area lookup</i>
-------------------	---

Description

A data set containing a lookup between UK Local Authority Districts and British Red Cross operational areas.

Usage

```
lookup_ltla19_brc
```

Format

A data frame of class "tbl" with 382 rows and 2 variables:

ltla19_code LAD code

brc_area British Red Cross area name ...

Source

<https://redcross.org.uk/>

lookup_ltla19_cauth19	<i>Local Authority Districts to Combined Authorities lookup (2019).</i>
-----------------------	---

Description

A data set containing a lookup between December 2019 Local Authority Districts and Combined Authorities (CAUTH).

Usage

```
lookup_ltla19_cauth19
```

Format

A data frame of class "tbl" with 53 rows and 4 variables:

ltla19_name LAD name

ltla19_code LAD code

cauth19_name County name

cauth19_code County code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_ltla19_region19

Local Authority District to Region (December 2019) Lookup in England

Description

A data set containing a lookup between 2019 Local Authority Districts (LAD) and 2019 English Regions.

Usage

lookup_ltla19_region19

Format

A data frame of class "tbl" with 317 rows and 4 variables:

ltla19_name LAD name

ltla19_code LAD code

region19_name Region name

region19_code Region code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_ltla19_utla19 *Local Authority Districts to County and Unitary Authorities lookup (2019).*

Description

A data set containing a lookup between December 2019 Local Authority Districts and County and Unitary Authorities.

Usage

lookup_ltla19_utla19

Format

A data frame of class "tbl" with 339 rows and 4 variables:

ltla19_name LAD name

ltla19_code LAD code

utla19_name County name

utla19_code County code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_ltla20_cauth20 *Local Authority Districts to Combined Authorities lookup (2020).*

Description

A data set containing a lookup between December 2020 Local Authority Districts and Combined Authorities (CAUTH).

Usage

lookup_ltla20_cauth20

Format

A data frame of class "tbl" with 53 rows and 4 variables:

ltla20_name LAD name

ltla20_code LAD code

cauth20_name County name

cauth20_code County code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_ltla20_region20

Local Authority District to Region (December 2020) Lookup in England

Description

A data set containing a lookup between 2020 Local Authority Districts (LAD) and 2020 English Regions.

Usage

```
lookup_ltla20_region20
```

Format

A data frame of class "tbl" with 314 rows and 4 variables:

ltla20_name LAD name

ltla20_code LAD code

region20_name Region name

region20_code Region code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_ltla20_utla20 *Local Authority Districts to County and Unitary Authorities lookup (2020).*

Description

A data set containing a lookup between December 2020 Local Authority Districts and County and Unitary Authorities.

Usage

```
lookup_ltla20_utla20
```

Format

A data frame of class "tbl" with 336 rows and 4 variables:

ltla20_name LAD name

ltla20_code LAD code

utla20_name County name

utla20_code County code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_ltla21_brc	<i>Local Authority District (2021) to British Red Cross area lookup</i>
-------------------	---

Description

A data set containing a lookup between UK Local Authority Districts and British Red Cross operational areas.

Usage

lookup_ltla21_brc

Format

A data frame of class "tbl" with 382 rows and 2 variables:

ltla21_code LAD code

brc_area British Red Cross area name ...

Source

<https://redcross.org.uk/>

lookup_ltla21_cauth21	<i>Local Authority Districts to Combined Authorities lookup (2021).</i>
-----------------------	---

Description

A data set containing a lookup between December 2021 Local Authority Districts and Combined Authorities (CAUTH).

Usage

lookup_ltla21_cauth21

Format

A data frame of class "tbl" with 53 rows and 4 variables:

ltla21_name LAD name

ltla21_code LAD code

cauth21_name County name

cauth21_code County code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_ltla21_fra21	<i>Local Authority Districts to Fire and Rescue Authorities lookup (2021).</i>
---------------------	--

Description

A data set containing a lookup between April 2021 Local Authority Fire and Rescue Authorities (FRA)

Usage

lookup_ltla21_fra21

Format

A data frame of class "tbl" with 331 rows and 4 variables:

ltla21_name LAD name

ltla21_code LAD code

fra21_name FRA name

fra21_code FRA code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_ltla21_hsct18	<i>Local Government District (2021) to Health and Social Care Trust (2018) Lookup</i>
----------------------	---

Description

A data set containing a lookup between Local Authorities (also called Local Government Districts) and Health and Social Care Trusts in Northern Ireland

Usage

lookup_ltla21_hsct18

Format

A data frame of class "tbl" with 11 rows and 4 variables:

ltla21_name Local Government District (2021) name

ltla21_code Local Government District (2021) code

trust18_name Health and Social Care Trust (2018) name

trust18_code Health and Social Care Trust (2018) code ...

Source

<https://www.nisra.gov.uk/sites/nisra.gov.uk/files/publications/Maps-of-NI-Health-Trusts-and-Local-Council-Areas.pdf>

lookup_ltla21_lhb22	<i>Wales Local Authority Districts (2021) to Local Health Boards (2022) Lookup</i>
---------------------	--

Description

A data set containing a lookup between Local Authorities (2021) and Local Health Boards (December 2022) in Wales.

Usage

```
lookup_ltla21_lhb22
```

Format

A data frame of class "tbl" with 22 rows and 4 variables:

ltla21_code Local Government District (2021) code

ltla21_name Local Government District (2021) name

lhb22_code Local Health Board (2022) code

lhb22_name Local Health Board (2022) name ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_ltla21_region21*Local Authority District to Region (April 2021) Lookup in England*

Description

A data set containing a lookup between 2021 Local Authority Districts (LAD) and 2021 English Regions.

Usage

```
lookup_ltla21_region21
```

Format

A data frame of class "tbl" with 317 rows and 4 variables:

ltla21_name LAD name

ltla21_code LAD code

region21_name Region name

region21_code Region code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_ltla21_utla21 *Local Authority Districts to County and Unitary Authorities lookup (2021).*

Description

A data set containing a lookup between December 2021 Local Authority Districts and County and Unitary Authorities.

Usage

```
lookup_ltla21_utla21
```

Format

A data frame of class "tbl" with 331 rows and 4 variables:

ltla21_name LAD name

ltla21_code LAD code

utla21_name County name

utla21_code County code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_ltla21_vcsep22 *Local Authority Districts to VCSEP regions lookup (2021).*

Description

A data set containing a lookup between December 2021 Local Authority Districts and Voluntary and Community Sector Emergency Partnership regions

Usage

lookup_ltla21_vcsep22

Format

A data frame of class "tbl" with 309 rows and 3 variables:

ltla21_name LAD name

ltla21_code LAD code

vcsep_region VCSEP region name ...

Source

https://github.com/VCS-Emergencies-Partnership/ad-hoc-analysis/tree/main/analysis/vcsep_regions_boundaries

lookup_ltla22_ltla23 *Local Authority Districts (2022) to Local Authority Districts (2023).*

Description

A data set containing a lookup between 2022 Local Authority Districts and 2023 Local Authority Districts.

Usage

lookup_ltla22_ltla23

Format

A data frame of class "tbl" with 374 rows and 4 variables:

ltla22_code LAD 22 code

ltla22_name LAD 22 name

ltla23_code LAD 23 code

ltla23_name LAD 23 name ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_ltla23_cauth23 *Local Authority Districts to Combined Authorities lookup (2023).*

Description

A data set containing a lookup between December 2023 Local Authority Districts and Combined Authorities (CAUTH).

Usage

```
lookup_ltla23_cauth23
```

Format

A data frame of class "tbl" with 53 rows and 4 variables:

ltla23_name LAD name

ltla23_code LAD code

cauth23_name County name

cauth23_code County code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_ltla23_region23

Local Authority District to Region (April 2023) Lookup in England

Description

A data set containing a lookup between 2023 Local Authority Districts (LAD) and 2023 English Regions.

Usage

```
lookup_ltla23_region23
```

Format

A data frame of class "tbl" with 296 rows and 4 variables:

ltla23_name LAD name

ltla23_code LAD code

region23_name Region name

region23_code Region code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_ltla23_utla23 *Lower Tier Local Authority (2023) to Upper Tier Local Authority (2023).*

Description

A data set containing a lookup between Lower Tier Local Authority (2023) to Upper Tier Local Authority (2023).

Usage

```
lookup_ltla23_utla23
```

Format

A data frame of class "tbl" with 318 rows and 4 variables:

ltla23_code LTLA code

ltla23_name LTLA name

utla23_code UTLA code

utla23_name UTLA name ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_msoa11_ltle19	<i>Middle Layer Super Output Area (2011) to LAD (December 2019) Lookup</i>
----------------------	--

Description

A data set containing a lookup between 2011 Middle Super Output Areas (MSOA) and 2019 Local Authority Districts (LAD).

Usage

```
lookup_msoa11_ltle19
```

Format

A data frame of class "tbl" with 7,201 rows and 4 variables:

msoa11_name MSOA name

msoa11_code MSOA code

tle19_name LAD name

tle19_code LAD code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_msoa11_ltle20	<i>Middle Layer Super Output Area (2011) to LAD (December 2020) Lookup</i>
----------------------	--

Description

A data set containing a lookup between 2011 Middle Super Output Areas (MSOA) and 2020 Local Authority Districts (LAD).

Usage

```
lookup_msoa11_ltle20
```

Format

A data frame of class "tbl" with 7,201 rows and 4 variables:

msoa11_name MSOA name

msoa11_code MSOA code

lsla20_name LAD name

lsla20_code LAD code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_msoa11_lsla21	<i>Middle Layer Super Output Area (2011) to LAD (December 2021) Lookup</i>
----------------------	--

Description

A data set containing a lookup between 2011 Middle Super Output Areas (MSOA) and 2021 Local Authority Districts (LAD).

Usage

```
lookup_msoa11_lsla21
```

Format

A data frame of class "tbl" with 7,201 rows and 4 variables:

msoa11_name MSOA name

msoa11_code MSOA code

lsla21_name LAD name

lsla21_code LAD code ...

Source

<https://geoportal.statistics.gov.uk/>

`lookup_msoa11_msoa21_lta22`

Middle Layer Super Output Area (2011) to Middle Layer Super Output Area (2021) to LAD (December 2022) Lookup

Description

A data set containing a lookup between 2011 Middle Super Output Areas (MSOA) and 2021 Middle Super Output Areas (MSOA) and 2022 Local Authority Districts (LAD).

Usage`lookup_msoa11_msoa21_lta22`**Format**

A data frame of class "tbl" with 7,201 rows and 6 variables:

msoa11_name MSOA 11 name

msoa11_code MSOA 11 code

msoa21_name MSOA 21 name

msoa21_code MSOA 21 code

lta22_name LAD name

lta22_code LAD code ...

Source

<https://geoportal.statistics.gov.uk/>

`lookup_msoa11_ward17` *MSOA (2011) to Ward (2017) Lookup*

Description

A data set containing a lookup between 2011 MSOAs and 2021 wards in England and Wales.

Usage`lookup_msoa11_ward17`**Format**

A data frame of class "tbl" with 13,873 rows and 2 variables:

msoa11_code MSOA 2011 code

ward17_code Ward 2017 code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_msoa21_ward17 *MSOA (2021) to Ward (2017) Lookup*

Description

A data set containing a lookup between 2021 MSOAs and 2021 wards in England and Wales.

Usage

lookup_msoa21_ward17

Format

A data frame of class "tbl" with 13,865 rows and 2 variables:

msoa21_code MSOA 2021 code

ward17_code Ward 2017 code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_nhs_trusts22_icb22
England NHS Trusts (2022) to ICB (2022) Lookup

Description

A data set containing a lookup between 2022 England NHS Trusts and 2022 Integrate Care Boards (ICBs).

Usage

lookup_nhs_trusts22_icb22

Format

A data frame of class "tbl" with 1,321 rows and 3 variables:

icb22_code ICB code

nhs_trust22_code NHS Trust code

proportion_trust_came_from_icb The proportion of patients from all admissions from a given Trust that came from a given ICB ...

Copyright reference

Office for Health Improvement & Disparities. NHS Acute (Hospital) Trust Catchment Populations. 18.10.2022. <https://AcuteTrustCatchmentPopulation/app.powerbi.com> © Crown copyright 2022

Source

<https://app.box.com/s/qh8gzpzeo1firv1ezfxx2e6c4tgtrudl>

lookup_nhs_trusts22_ltle21

England NHS Trusts (2022) to LTLA (2021) Lookup

Description

A data set containing a lookup between 2022 England NHS Trusts and 2021 LTLA areas.

Usage

lookup_nhs_trusts22_ltle21

Format

A data frame of class "tbl" with 574,104 rows and 4 variables:

ltle21_code LTLA code

nhs_trust22_code NHS Trust code

proportion_trust_came_from_ltle The proportion of patients from all admissions from a given Trust that came from a given LTLA ...

Copyright reference

Office for Health Improvement & Disparities. NHS Acute (Hospital) Trust Catchment Populations. 18.10.2022. <https://AcuteTrustCatchmentPopulation/app.powerbi.com> © Crown copyright 2022

Source

<https://app.box.com/s/qh8gzpzeo1firv1ezfxx2e6c4tgtrudl>

 lookup_nhs_trusts22_msoa11

England NHS Trusts (2022) to MSOA (2011) Lookup

Description

A data set containing a lookup between 2022 England NHS Trusts and 2011 LSOA areas.

Usage

```
lookup_nhs_trusts22_msoa11
```

Format

A data frame of class "tbl" with 574,104 rows and 4 variables:

msoa11_code MSOA code

nhs_trust22_code NHS Trust code

proportion_msoa_went_to_trust The proportion of patients from all admissions from a given MSOA that went to a given Trust

proportion_trust_came_from_msoa The proportion of patients from all admissions from a given Trust that came from a given MSOA ...

Details

The population size of an MSOA is much smaller than the population of people who attend a given Trust. This means that the proportion of patients from an MSOA that go to a Trust will be much higher than the proportion of patients from a Trust that came from an MSOA. This is because Trusts serve many more MSOA's than MSOA patients go to different trusts.

Copyright reference

Office for Health Improvement & Disparities. NHS Acute (Hospital) Trust Catchment Populations. 18.10.2022. <https://AcuteTrustCatchmentPopulation/app.powerbi.com> © Crown copyright 2022

Source

<https://app.box.com/s/qh8gzpzeo1firv1ezfxx2e6c4tgtrudl>

lookup_nhs_trusts22_nhs_region21*NHS Trusts (February 2022) to NHS Regions (April 2021) Lookup*

Description

A data set containing February 2022 NHS Trusts and their associated names, codes, and open status, with a lookup to NHS Regions (April 2021).

Usage

lookup_nhs_trusts22_nhs_region21

Format

A data frame of class "tbl" with 214 rows and 6 variables:

nhs_trust22_code NHS Trust code

nhs_trust22_name NHS Trust name

nhs_region21_nhs_code NHS Region code (NHS version)

nhs_region21_ons_code NHS Region code (ONS version)

nhs_region21_name NHS Region name

status whether the Trust is 'open' or 'closed' ...

Source

<https://digital.nhs.uk/>

lookup_nhs_trusts22_stp21*England NHS Trusts (2022) to STP/ICS (2021) Lookup*

Description

A data set containing a lookup between 2022 England NHS Trusts and 2021 STP areas.

Usage

lookup_nhs_trusts22_stp21

Format

A data frame of class "tbl" with 209 rows and 4 variables:

nhs_trust22_name NHS Trust name

nhs_trust22_code NHS Trust code

stp21_name STP name

stp21_code STP code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_postcode_dz21_sdz21_dea14_lgd14

*Postcode to Data Zone to Super DataZone to District Electoral Areas
to Local Government District lookup for Northern Ireland*

Description

Postcode to Data Zone to Super DataZone to District Electoral Areas to Local Government District
lookup for Northern Ireland

Usage

lookup_postcode_dz21_sdz21_dea14_lgd14

Format

A data frame of class "tbl":

postcode Postcode

dz21_code Data zone (2021) code (comparable to Output Areas)

dz21_name Data zone (2021) name

sdz21_code Super data zone (2021) code (comparable to LSOA / Scottish Data Zone)

sdz21_name Super data zone (2021) name

dea14_code District Electoral Areas (2019) code

dea14_name District Electoral Areas (2019) name

lgd14_code Local Government District (2014) code (comparable to Local Authority)

lgd14_name Local Government District (2014) name ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_postcode_oa11_lsoa11_msoa11_lta20

Postcode to Output Area (2011) to Lower Layer Super Output Area (2011) to Middle Layer Super Output Area (2011) to Local Authority District (2020) Lookup

Description

A data set containing a lookup between postcodes, OAs, LSOAs, MSOAs, and 2020 Local Authority Districts, for England, Wales, and Scotland.

Usage

```
lookup_postcode_oa11_lsoa11_msoa11_lta20
```

Format

A data frame of class "tbl" with 2,568,780 rows and 5 variables:

postcode Postcodes

oa11_code OA code

lsoa11_code LSOA code

msoa11_code MSOA code

lta20_code LAD code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_postcode_oa21_lsoa21_msoa21_lta22

Postcode to Output Area (2021) to Lower Layer Super Output Area (2021) to Middle Layer Super Output Area (2021) to Local Authority District (2022) Lookup

Description

A data set containing a lookup between postcodes, OAs, LSOAs, MSOAs, and 2022 Local Authority Districts, for England, Wales, and Scotland.

Usage

```
lookup_postcode_oa21_lsoa21_msoa21_lta22
```

Format

A data frame of class "tbl" with 2,600,236 rows and 5 variables:

postcode Postcodes
oa21_code OA code
lsoa21_code LSOA code
msoa21_code MSOA code
lta22_code LAD code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_sa11_soa11_lgd18

Small Areas (2011) to SOAs to Local Government Districts (December 2018) Lookup with Area Classifications in Northern Ireland

Description

A data set containing a lookup between Small Areas, Super Output Areas, and Local Government Districts in Northern Ireland

Usage

lookup_sa11_soa11_lgd18

Format

A data frame of class "tbl" with 4,537 rows and 5 variables:

sa11_code Small Area code
soa11_name Super Output Area name
soa11_code Super Output Area code
lgd18_name Local Government District name
lgd18_code Local Government District code ...

Source

<https://geoportal.statistics.gov.uk/>

lookup_soa01_lgd14	<i>SOA (2001) to LGD (2014) Lookup</i>
--------------------	--

Description

A data set containing a lookup between SOA and LGD in Northern Ireland.

Usage

```
lookup_soa01_lgd14
```

Format

A data frame of class "tbl" with 13,865 rows and 2 variables:

soa01_code Super Output Area 2001 code

lgd14_code Local Government District 2014 code

ldg14_name Local Government District 2014 name ...

Source

<https://www.nisra.gov.uk/publications/geography-lookup-tables>

lookup_trust_trust	<i>NHS Trust and Organisation Changes</i>
--------------------	---

Description

A data set containing a lookup of NHS Trust and organisational changes

Usage

```
lookup_trust_trust
```

Format

A data frame of class "tbl" with 25,480 rows and 3 variables:

old_code The old organisation code

new_code The new organisation code

date The date of the change ...

Source

<https://digital.nhs.uk/>

lookup_ward21_ltlea21	<i>Ward (December 2021) to LTLA (December 2021) Lookup</i>
-----------------------	--

Description

A data set containing a lookup between 2021 wards and 2021 Lower Tier Local Authority Districts (LAD).

Usage

lookup_ward21_ltlea21

Format

A data frame of class "tbl" with 8,694 rows and 4 variables:

ward21_name MSOA name

ward21_code MSOA code

ltla21_name LAD name

ltla21_code LAD code ...

Source

<https://geoportal.statistics.gov.uk/>

names_codes_hb19	<i>Names and codes for NHS Scotland Health Boards (2014 - 2019)</i>
------------------	---

Description

Names and codes for NHS Scotland Health Boards (2014 - 2019)

Usage

names_codes_hb19

Format

A data frame of class "tbl" with 18 rows and 4 variables:

hb19_name Health Board name

hb19_code Health Board code

date_enacted Date Health Board Code was enacted

date_archived Date Health Board Code was archived ...

Source

<https://www.opendata.nhs.scot/>

points_hospitals22	<i>NHS England Hospitals (July 2022)</i>
--------------------	--

Description

A data set containing July 2022 NHS England hospital point geometries (i.e., lat/long coordinates) and their associated names.

Usage

```
points_hospitals22
```

Format

A data frame of class "sf" with 1,061 rows and 2 variables:

hospital22_name NHS England hospital
geometry point coordinates ...

Source

<https://digital.nhs.uk/>

points_nhs_trusts22	<i>NHS Trusts (February 2022)</i>
---------------------	-----------------------------------

Description

A data set containing February 2022 NHS Trusts point geometries (i.e., lat/long coordinates) and their associated names, codes, and open status.

Usage

```
points_nhs_trusts22
```

Format

A data frame of class "sf" with 218 rows and 4 variables:

nhs_trust22_name NHS Trust name
nhs_trust22_code NHS Trust code
status whether the Trust is 'open' or 'closed'
geometry point coordinates ...

Source

<https://digital.nhs.uk/>

ruc11_lsoa11	<i>Rural-Urban Classifications for Lower Layer Super Output Areas (2011) in England and Wales</i>
--------------	---

Description

A data set containing rural-urban classifications for LSOAs in England and Wales.

Usage

```
ruc11_lsoa11
```

Format

A data frame of class "tbl" with 34,753 rows and 4 variables:

lsoa11_code LSOA code

ruc11_code Rural-Urban Classification code

ruc Whether the LSOA is classified as 'Rural' or 'Urban'

classification A more detailed description of the classification ...

Source

<https://geoportal.statistics.gov.uk/>

ruc11_msoa11	<i>Rural-Urban Classifications for Middle Layer Super Output Areas (2011) in England and Wales</i>
--------------	--

Description

A data set containing rural-urban classifications for MSOAs in England and Wales.

Usage

```
ruc11_msoa11
```

Format

A data frame of class "tbl" with 7,201 rows and 4 variables:

msoa11_code MSOA code

ruc11_code Rural-Urban Classification code

ruc Whether the MSOA is classified as 'Rural' or 'Urban'

classification A more detailed description of the classification ...

Source

<https://geoportal.statistics.gov.uk/>

ruc11_wards11

Rural-Urban Classifications for wards (2011) in England and Wales

Description

A data set containing rural-urban classifications for wards in England and Wales.

Usage

ruc11_wards11

Format

A data frame of class "tbl" with 8,570 rows and 4 variables:

ward11_code Ward code

ruc11_code Rural-Urban Classification code

ruc Whether the ward is classified as 'Rural' or 'Urban'

classification A more detailed description of the classification ...

Source

<https://geoportal.statistics.gov.uk/>

ruc16_dz11

Rural-Urban Classifications for Data Zones (2011) in Scotland

Description

A data set containing rural-urban classifications for Data Zones in Scotland.

Usage

ruc16_dz11

Format

A data frame of class "tbl" with 6,976 rows and 4 variables:

dz11_code Data Zone code

ruc16_code Rural-Urban Classification code

ruc Whether the DZ is classified as 'Rural' or 'Urban'

classification A more detailed description of the classification ...

Source

<https://www.gov.scot/>

Index

* datasets

- boundaries_ccg21, [4](#)
- boundaries_countries20, [5](#)
- boundaries_dz11, [6](#)
- boundaries_hb19, [6](#)
- boundaries_icb22, [7](#)
- boundaries_iz11, [7](#)
- boundaries_lhb20, [8](#)
- boundaries_lhb22, [8](#)
- boundaries_lsoa11, [9](#)
- boundaries_ltla19, [9](#)
- boundaries_ltla20, [10](#)
- boundaries_ltla21, [10](#)
- boundaries_msoa11, [11](#)
- boundaries_msoa21, [12](#)
- boundaries_msoa21_iz11_sdz21, [12](#)
- boundaries_pfa20, [13](#)
- boundaries_region21, [13](#)
- boundaries_sdz21, [14](#)
- boundaries_soa11, [14](#)
- boundaries_stp21, [15](#)
- boundaries_trusts_ni18, [15](#)
- boundaries_utla19, [16](#)
- boundaries_utla20, [16](#)
- boundaries_utla21, [17](#)
- boundaries_vcsep22, [18](#)
- boundaries_wards21, [18](#)
- boundaries_wards22, [19](#)
- lookup_dz01_dz11, [21](#)
- lookup_dz11_iz11_ltla20, [22](#)
- lookup_dz11_ltla19_hb19, [22](#)
- lookup_dz21_sdz21_dea14_lgd14, [23](#)
- lookup_lsoa11_ccg21_stp21_ltla21, [24](#)
- lookup_lsoa11_lsoa21_ltla22, [24](#)
- lookup_lsoa11_ltla18, [25](#)
- lookup_lsoa11_ltla19, [26](#)
- lookup_lsoa11_ltla20, [26](#)
- lookup_lsoa11_ltla21, [27](#)

- lookup_lsoa11_msoa11, [27](#)
- lookup_lsoa11_sicbl22_icb22_ltla22, [28](#)
- lookup_lsoa11_ward17, [29](#)
- lookup_ltla19_brc, [30](#)
- lookup_ltla19_cauth19, [30](#)
- lookup_ltla19_region19, [31](#)
- lookup_ltla19_utla19, [31](#)
- lookup_ltla20_cauth20, [32](#)
- lookup_ltla20_region20, [33](#)
- lookup_ltla20_utla20, [33](#)
- lookup_ltla21_brc, [34](#)
- lookup_ltla21_cauth21, [34](#)
- lookup_ltla21_fra21, [35](#)
- lookup_ltla21_hsct18, [35](#)
- lookup_ltla21_lhb22, [36](#)
- lookup_ltla21_region21, [37](#)
- lookup_ltla21_utla21, [37](#)
- lookup_ltla21_vcsep22, [38](#)
- lookup_ltla22_ltla23, [38](#)
- lookup_ltla23_cauth23, [39](#)
- lookup_ltla23_region23, [40](#)
- lookup_ltla23_utla23, [40](#)
- lookup_ltla_ltla, [29](#)
- lookup_msoa11_ltla19, [41](#)
- lookup_msoa11_ltla20, [41](#)
- lookup_msoa11_ltla21, [42](#)
- lookup_msoa11_msoa21_ltla22, [43](#)
- lookup_msoa11_ward17, [43](#)
- lookup_msoa21_ward17, [44](#)
- lookup_nhs_trusts22_icb22, [44](#)
- lookup_nhs_trusts22_ltla21, [45](#)
- lookup_nhs_trusts22_msoa11, [46](#)
- lookup_nhs_trusts22_nhs_region21, [47](#)
- lookup_nhs_trusts22_stp21, [47](#)
- lookup_postcode_dz21_sdz21_dea14_lgd14, [48](#)
- lookup_postcode_oa11_lsoa11_msoa11_ltla20,

- 49
- lookup_postcode_oa21_lsoa21_msoa21_ltla22, 49
- lookup_sa11_soa11_lgd18, 50
- lookup_soa01_lgd14, 51
- lookup_trust_trust, 51
- lookup_ward21_ltla21, 52
- names_codes_hb19, 52
- points_hospitals22, 53
- points_nhs_trusts22, 53
- ruc11_lsoa11, 54
- ruc11_msoa11, 54
- ruc11_wards11, 55
- ruc16_dz11, 55
- aggregate_lba_lsoas, 3
- boundaries_ccg21, 4
- boundaries_countries20, 5
- boundaries_dz11, 6
- boundaries_hb19, 6
- boundaries_icb22, 7
- boundaries_iz11, 7
- boundaries_lhb20, 8
- boundaries_lhb22, 8
- boundaries_lsoa11, 9
- boundaries_ltla19, 9
- boundaries_ltla20, 10
- boundaries_ltla21, 10
- boundaries_msoa11, 11
- boundaries_msoa21, 12
- boundaries_msoa21_iz11_sdz21, 12
- boundaries_pfa20, 13
- boundaries_region21, 13
- boundaries_sdz21, 14
- boundaries_soa11, 14
- boundaries_stp21, 15
- boundaries_trusts_ni18, 15
- boundaries_utla19, 16
- boundaries_utla20, 16
- boundaries_utla21, 17
- boundaries_vcsep22, 18
- boundaries_wards21, 18
- boundaries_wards22, 19
- calculate_extent, 19
- calculate_proportion, 20
- lookup_dz01_dz11, 21
- lookup_dz11_iz11_ltla20, 22
- lookup_dz11_ltla19_hb19, 22
- lookup_dz21_sdz21_dea14_lgd14, 23
- lookup_lsoa11_ccg21_stp21_ltla21, 24
- lookup_lsoa11_lsoa21_ltla22, 24
- lookup_lsoa11_ltla18, 25
- lookup_lsoa11_ltla19, 26
- lookup_lsoa11_ltla20, 26
- lookup_lsoa11_ltla21, 27
- lookup_lsoa11_msoa11, 27
- lookup_lsoa11_sicb122_icb22_ltla22, 28
- lookup_lsoa11_ward17, 29
- lookup_ltla19_brc, 30
- lookup_ltla19_cauth19, 30
- lookup_ltla19_region19, 31
- lookup_ltla19_utla19, 31
- lookup_ltla20_cauth20, 32
- lookup_ltla20_region20, 33
- lookup_ltla20_utla20, 33
- lookup_ltla21_brc, 34
- lookup_ltla21_cauth21, 34
- lookup_ltla21_fra21, 35
- lookup_ltla21_hsct18, 35
- lookup_ltla21_lhb22, 36
- lookup_ltla21_region21, 37
- lookup_ltla21_utla21, 37
- lookup_ltla21_vcsep22, 38
- lookup_ltla22_ltla23, 38
- lookup_ltla23_cauth23, 39
- lookup_ltla23_region23, 40
- lookup_ltla23_utla23, 40
- lookup_ltla_ltla, 29
- lookup_msoa11_ltla19, 41
- lookup_msoa11_ltla20, 41
- lookup_msoa11_ltla21, 42
- lookup_msoa11_msoa21_ltla22, 43
- lookup_msoa11_ward17, 43
- lookup_msoa21_ward17, 44
- lookup_nhs_trusts22_icb22, 44
- lookup_nhs_trusts22_ltla21, 45
- lookup_nhs_trusts22_msoa11, 46
- lookup_nhs_trusts22_nhs_region21, 47
- lookup_nhs_trusts22_stp21, 47
- lookup_postcode_dz21_sdz21_dea14_lgd14, 48
- lookup_postcode_oa11_lsoa11_msoa11_ltla20, 49
- lookup_postcode_oa21_lsoa21_msoa21_ltla22,

49

lookup_sa11_soa11_lgd18, 50

lookup_soa01_lgd14, 51

lookup_trust_trust, 51

lookup_ward21_tla21, 52

names_codes_hb19, 52

points_hospitals22, 53

points_nhs_trusts22, 53

ruc11_lsoa11, 54

ruc11_msoa11, 54

ruc11_wards11, 55

ruc16_dz11, 55